

Black 0.6mm PVC Inflatable Car Wash Mat Full Set Position

Basic Information

Place of Origin: ChinaBrand Name: Barry

• Certification: CE, EN14960, , SCT, EN71

Model Number: HBY-CM-017 Minimum Order Quantity: 1 Piece

• Price: USD169-289/Piece

• Packaging Details: Product is packed by strong PVC bag and


carton for blower, pump and other

accessories

• Delivery Time: 2-5 Working Days

• Payment Terms: T/T, Western Union, and so on

• Supply Ability: 5000 Pices/Month



Product Specification

• Position: Full Set

• Material: 0.6mm Durable PVC Tarpaulin

Color: Black Or Customized

• Payment: T/T, Western Union ,cash And So On

Leading Time: 2-5 Working DaysLife Span: More Than 3 Years

Mini Orde: 1 PcsBrand Name: Barry

• Highlight: 0.6mm PVC Inflatable Car Wash Mat,

Black Inflatable Car Wash Mat



More Images





Product Description

Car Wash Equipment With Environmental Clean Function Inflatable Car Wash Mat

Compare to the Traditional Mat:

Traditional mats require a foam ends that easy deteriorates, also foam edges are difficult to fold and store. Once foam edges are folded the creases take time to unfold (at times do not unfold at all) increasing the chances of your mat leaking from the edges. Many low-quality mats require berm brackets to hold up the edges making it impossible to set up and keep up. With the Barry Mat simply unfold and inflate for fast easy water containment. Welcome to choose us.

Car Wash Mat Details







Different Color for Choose

High Quality Pump

Good Air Valve







Good Air Valve

Custom Made as your Car's Size

Easy/ fast Setup and Tear Out/Pack

Notes:

- 1. Be careful not to let foreign matter inside the wash mat.
- 2. Make sure you close the cap of the air inlet if there is a lot of sand and dust.
- 3.If wash mat not used for a long time ensure that it is stored completely emptied of air.
- 4. Please store at room temperature. Extreme heat or cold will reduce the useful life.
- 5. When in storage, do not place any heavy items on the wash mat.

How to repair?

- 1. Completely cut away the damaged part of the wash mat
- 2. Prepare a patch that is slightly larger than the hole.
- 3. Clean both the patch and the area around with hole with a similar cleaning chemical and wipe dry.
- 4. Apply glue to both surfaces and then firmly apply the patch to your wash mat. Avoid bubbles. Press and hold firmly until firmly bonded(1-2 minutes). Ideally, allow 24 hours before use.
- 5. Ensure that you use only glue provide by H2GO systems.
- 6. Keep glue out of reach of children.

If you are interested in any inflatable products, contact us for quick response! 24 hours online support available!



Guangzhou Barry Industrial Co., Ltd



+86-18988930803



burt@inflatableschina.cn



inflatables-toy.com

